

PS303J2 REV NONE
(RESISTANCE VS. TEMPERATURE TABLE)

Temp (°C)	Temp (°F)	Resistance (Ω) 30,000 Ω @ +25°C
-----------	-----------	------------------------------------

-1.10	30.02	103,634.22
-1.05	30.11	103,367.97
-1.00	30.20	103,099.50
-0.95	30.29	102,834.90
-0.90	30.38	102,571.08
-0.85	30.47	102,308.04
-0.80	30.56	102,045.72
-0.75	30.65	101,784.18
-0.70	30.74	101,523.39
-0.65	30.83	101,263.35
-0.60	30.92	101,004.06
-0.55	31.01	100,745.49
-0.50	31.10	100,487.70
-0.45	31.19	100,230.63
-0.40	31.28	99,974.31
-0.35	31.37	99,718.71
-0.30	31.46	99,463.86
-0.25	31.55	99,209.73
-0.20	31.64	98,956.32
-0.15	31.73	98,703.66
-0.10	31.82	98,451.72
-0.05	31.91	98,200.50
0.00	32.00	97,950.00
0.05	32.09	97,700.22
0.10	32.18	97,451.16
0.15	32.27	97,202.79
0.20	32.36	96,955.14
0.25	32.45	96,708.21
0.30	32.54	96,462.00
0.35	32.63	96,216.48
0.40	32.72	95,971.65
0.45	32.81	95,727.54
0.50	32.90	95,484.09
0.55	32.99	95,241.36
0.60	33.08	94,999.35
0.65	33.17	94,758.00
0.70	33.26	94,517.34
0.75	33.35	94,277.37
0.80	33.44	94,038.09
0.85	33.53	93,799.50
0.90	33.62	93,561.57
0.95	33.71	93,324.33
1.00	33.80	93,087.75
1.05	33.89	92,851.86
1.10	33.98	92,616.66
1.15	34.07	92,382.09
1.20	34.16	92,148.21
1.25	34.25	91,914.99
1.30	34.34	91,682.43
1.35	34.43	91,450.56
1.40	34.52	91,219.32
1.45	34.61	90,988.74

PS303J2 REV NONE
(RESISTANCE VS. TEMPERATURE TABLE)

Temp (°C)	Temp (°F)	Resistance (Ω) 30,000 Ω @ +25°C
-----------	-----------	------------------------------------

1.50	34.70	90,758.82
1.55	34.79	90,529.56
1.60	34.88	90,300.93
1.65	34.97	90,072.96
1.70	35.06	89,845.65
1.75	35.15	89,618.97
1.80	35.24	89,392.92
1.85	35.33	89,167.53
1.90	35.42	88,942.77
1.95	35.51	88,718.67
2.00	35.60	88,495.17
2.05	35.69	88,272.33
2.10	35.78	88,050.12
2.15	35.87	87,828.54
2.20	35.96	87,607.56
2.25	36.05	87,387.24
2.30	36.14	87,167.52
2.35	36.23	86,948.43
2.40	36.32	86,729.94
2.45	36.41	86,512.08
2.50	36.50	86,294.85
2.55	36.59	86,078.22
2.60	36.68	85,862.19
2.65	36.77	85,646.79
2.70	36.86	85,431.99
2.75	36.95	85,217.79
2.80	37.04	85,004.22
2.85	37.13	84,791.22
2.90	37.22	84,578.82
2.95	37.31	84,367.05
3.00	37.40	84,155.85
3.05	37.49	83,945.25
3.10	37.58	83,735.25
3.15	37.67	83,525.82
3.20	37.76	83,317.02
3.25	37.85	83,108.76
3.30	37.94	82,901.10
3.35	38.03	82,694.04
3.40	38.12	82,487.55
3.45	38.21	82,281.66
3.50	38.30	82,076.31
3.55	38.39	81,871.56
3.60	38.48	81,667.38
3.65	38.57	81,463.77
3.70	38.66	81,260.73
3.75	38.75	81,058.29
3.80	38.84	80,856.39
3.85	38.93	80,655.06
3.90	39.02	80,454.27
3.95	39.11	80,254.08
4.00	39.20	80,054.43
4.05	39.29	79,855.35

PS303J2 REV NONE
(RESISTANCE VS. TEMPERATURE TABLE)

Temp (°C)	Temp (°F)	Resistance (Ω) 30,000 Ω @ +25°C
-----------	-----------	------------------------------------

4.10	39.38	79,656.81
4.15	39.47	79,458.84
4.20	39.56	79,261.41
4.25	39.65	79,064.55
4.30	39.74	78,868.23
4.35	39.83	78,672.45
4.40	39.92	78,477.24
4.45	40.01	78,282.54
4.50	40.10	78,088.41
4.55	40.19	77,894.82
4.60	40.28	77,701.77
4.65	40.37	77,509.26
4.70	40.46	77,317.26
4.75	40.55	77,125.83
4.80	40.64	76,934.91
4.85	40.73	76,744.53
4.90	40.82	76,554.69
4.95	40.91	76,365.39
5.00	41.00	76,176.57
5.05	41.09	75,988.32
5.10	41.18	75,800.58
5.15	41.27	75,613.35
5.20	41.36	75,426.66
5.25	41.45	75,240.48
5.30	41.54	75,054.81
5.35	41.63	74,869.65
5.40	41.72	74,685.03
5.45	41.81	74,500.89
5.50	41.90	74,317.29
5.55	41.99	74,134.17
5.60	42.08	73,951.59
5.65	42.17	73,769.49
5.70	42.26	73,587.93
5.75	42.35	73,406.85
5.80	42.44	73,226.25
5.85	42.53	73,046.19
5.90	42.62	72,866.61
5.95	42.71	72,687.51
6.00	42.80	72,508.92
6.05	42.89	72,330.84
6.10	42.98	72,153.24
6.15	43.07	71,976.12
6.20	43.16	71,799.51
6.25	43.25	71,623.38
6.30	43.34	71,447.73
6.35	43.43	71,272.56
6.40	43.52	71,097.90
6.45	43.61	70,923.69
6.50	43.70	70,749.99
6.55	43.79	70,576.74
6.60	43.88	70,404.00
6.65	43.97	70,231.71

PS303J2 REV NONE
(RESISTANCE VS. TEMPERATURE TABLE)

Temp (°C)	Temp (°F)	Resistance (Ω) 30,000 Ω @ +25°C
-----------	-----------	------------------------------------

6.70	44.06	70,059.90
6.75	44.15	69,888.57
6.80	44.24	69,717.69
6.85	44.33	69,547.32
6.90	44.42	69,377.40
6.95	44.51	69,207.93
7.00	44.60	69,038.94
7.05	44.69	68,870.43
7.10	44.78	68,702.37
7.15	44.87	68,534.76
7.20	44.96	68,367.63
7.25	45.05	68,200.95
7.30	45.14	68,034.72
7.35	45.23	67,868.97
7.40	45.32	67,703.64
7.45	45.41	67,538.79
7.50	45.50	67,374.39
7.55	45.59	67,210.44
7.60	45.68	67,046.94
7.65	45.77	66,883.89
7.70	45.86	66,721.26
7.75	45.95	66,559.11
7.80	46.04	66,397.38
7.85	46.13	66,236.10
7.90	46.22	66,075.27
7.95	46.31	65,914.89
8.00	46.40	65,754.93
8.05	46.49	65,595.39
8.10	46.58	65,436.33
8.15	46.67	65,277.66
8.20	46.76	65,119.44
8.25	46.85	64,961.67
8.30	46.94	64,804.32
8.35	47.03	64,647.39
8.40	47.12	64,490.91
8.45	47.21	64,334.82
8.50	47.30	64,179.18
8.55	47.39	64,023.96
8.60	47.48	63,869.19
8.65	47.57	63,714.81
8.70	47.66	63,560.85
8.75	47.75	63,407.31
8.80	47.84	63,254.19
8.85	47.93	63,101.49
8.90	48.02	62,949.21
8.95	48.11	62,797.35
9.00	48.20	62,645.91
9.05	48.29	62,494.86
9.10	48.38	62,344.23
9.15	48.47	62,193.99
9.20	48.56	62,044.17
9.25	48.65	61,894.77

PS303J2 REV NONE
(RESISTANCE VS. TEMPERATURE TABLE)

Temp (°C)	Temp (°F)	Resistance (Ω) 30,000 Ω @ +25°C
-----------	-----------	------------------------------------

9.30	48.74	61,745.76
9.35	48.83	61,597.17
9.40	48.92	61,448.97
9.45	49.01	61,301.16
9.50	49.10	61,153.77
9.55	49.19	61,006.77
9.60	49.28	60,860.19
9.65	49.37	60,714.00
9.70	49.46	60,568.17
9.75	49.55	60,422.79
9.80	49.64	60,277.77
9.85	49.73	60,133.14
9.90	49.82	59,988.90
9.95	49.91	59,845.08
10.00	50.00	59,701.62
10.05	50.09	59,558.55
10.10	50.18	59,415.87
10.15	50.27	59,273.58
10.20	50.36	59,131.68
10.25	50.45	58,990.14
10.30	50.54	58,848.99
10.35	50.63	58,708.23
10.40	50.72	58,567.86
10.45	50.81	58,427.85
10.50	50.90	58,288.23
10.55	50.99	58,148.97
10.60	51.08	58,010.10
10.65	51.17	57,871.59
10.70	51.26	57,733.47
10.75	51.35	57,595.71
10.80	51.44	57,458.34
10.85	51.53	57,321.30
10.90	51.62	57,184.68
10.95	51.71	57,048.39
11.00	51.80	56,912.46
11.05	51.89	56,776.92
11.10	51.98	56,641.74
11.15	52.07	56,506.92
11.20	52.16	56,372.46
11.25	52.25	56,238.36
11.30	52.34	56,104.62
11.35	52.43	55,971.24
11.40	52.52	55,838.22
11.45	52.61	55,705.56
11.50	52.70	55,573.23
11.55	52.79	55,441.29
11.60	52.88	55,309.68
11.65	52.97	55,178.43
11.70	53.06	55,047.54
11.75	53.15	54,916.98
11.80	53.24	54,786.78
11.85	53.33	54,656.94

PS303J2 REV NONE
(RESISTANCE VS. TEMPERATURE TABLE)

Temp (°C)	Temp (°F)	Resistance (Ω) 30,000 Ω @ +25°C
-----------	-----------	------------------------------------

11.90	53.42	54,527.43
11.95	53.51	54,398.28
12.00	53.60	54,269.46
12.05	53.69	54,141.00
12.10	53.78	54,012.87
12.15	53.87	53,885.10
12.20	53.96	53,757.66
12.25	54.05	53,630.55
12.30	54.14	53,503.80
12.35	54.23	53,377.38
12.40	54.32	53,251.29
12.45	54.41	53,125.53
12.50	54.50	53,000.13
12.55	54.59	52,875.03
12.60	54.68	52,750.29
12.65	54.77	52,625.88
12.70	54.86	52,501.80
12.75	54.95	52,378.05
12.80	55.04	52,254.60
12.85	55.13	52,131.51
12.90	55.22	52,008.75
12.95	55.31	51,886.29
13.00	55.40	51,764.19
13.05	55.49	51,642.39
13.10	55.58	51,520.92
13.15	55.67	51,399.78
13.20	55.76	51,278.94
13.25	55.85	51,158.46
13.30	55.94	51,038.25
13.35	56.03	50,918.40
13.40	56.12	50,798.85
13.45	56.21	50,679.60
13.50	56.30	50,560.71
13.55	56.39	50,442.09
13.60	56.48	50,323.80
13.65	56.57	50,205.84
13.70	56.66	50,088.18
13.75	56.75	49,970.82
13.80	56.84	49,853.79
13.85	56.93	49,737.06
13.90	57.02	49,620.63
13.95	57.11	49,504.53
14.00	57.20	49,388.70
14.05	57.29	49,273.20
14.10	57.38	49,158.03
14.15	57.47	49,043.13
14.20	57.56	48,928.53
14.25	57.65	48,814.26
14.30	57.74	48,700.26
14.35	57.83	48,586.59
14.40	57.92	48,473.19
14.45	58.01	48,360.12

PS303J2 REV NONE
(RESISTANCE VS. TEMPERATURE TABLE)

Temp (°C)	Temp (°F)	Resistance (Ω) 30,000 Ω @ +25°C
-----------	-----------	------------------------------------

14.50	58.10	48,247.32
14.55	58.19	48,134.82
14.60	58.28	48,022.65
14.65	58.37	47,910.75
14.70	58.46	47,799.12
14.75	58.55	47,687.82
14.80	58.64	47,576.82
14.85	58.73	47,466.09
14.90	58.82	47,355.63
14.95	58.91	47,245.50
15.00	59.00	47,135.64
15.05	59.09	47,026.08
15.10	59.18	46,916.79
15.15	59.27	46,807.80
15.20	59.36	46,699.11
15.25	59.45	46,590.69
15.30	59.54	46,482.54
15.35	59.63	46,374.69
15.40	59.72	46,267.11
15.45	59.81	46,159.83
15.50	59.90	46,052.82
15.55	59.99	45,946.11
15.60	60.08	45,839.64
15.65	60.17	45,733.47
15.70	60.26	45,627.60
15.75	60.35	45,521.97
15.80	60.44	45,416.64
15.85	60.53	45,311.58
15.90	60.62	45,206.79
15.95	60.71	45,102.27
16.00	60.80	44,998.02
16.05	60.89	44,894.07
16.10	60.98	44,790.36
16.15	61.07	44,686.95
16.20	61.16	44,583.78
16.25	61.25	44,480.91
16.30	61.34	44,378.28
16.35	61.43	44,275.92
16.40	61.52	44,173.83
16.45	61.61	44,072.01
16.50	61.70	43,970.46
16.55	61.79	43,869.18
16.60	61.88	43,768.14
16.65	61.97	43,667.40
16.70	62.06	43,566.90
16.75	62.15	43,466.64
16.80	62.24	43,366.68
16.85	62.33	43,266.96
16.90	62.42	43,167.51
16.95	62.51	43,068.30
17.00	62.60	42,969.36
17.05	62.69	42,870.66

PS303J2 REV NONE
(RESISTANCE VS. TEMPERATURE TABLE)

Temp (°C)	Temp (°F)	Resistance (Ω) 30,000 Ω @ +25°C
-----------	-----------	------------------------------------

17.10	62.78	42,772.23
17.15	62.87	42,674.07
17.20	62.96	42,576.15
17.25	63.05	42,478.47
17.30	63.14	42,381.06
17.35	63.23	42,283.92
17.40	63.32	42,186.99
17.45	63.41	42,090.36
17.50	63.50	41,993.94
17.55	63.59	41,897.79
17.60	63.68	41,801.88
17.65	63.77	41,706.21
17.70	63.86	41,610.81
17.75	63.95	41,515.65
17.80	64.04	41,420.73
17.85	64.13	41,326.05
17.90	64.22	41,231.61
17.95	64.31	41,137.44
18.00	64.40	41,043.51
18.05	64.49	40,949.79
18.10	64.58	40,856.34
18.15	64.67	40,763.13
18.20	64.76	40,670.16
18.25	64.85	40,577.43
18.30	64.94	40,484.91
18.35	65.03	40,392.66
18.40	65.12	40,300.65
18.45	65.21	40,208.85
18.50	65.30	40,117.32
18.55	65.39	40,026.00
18.60	65.48	39,934.92
18.65	65.57	39,844.08
18.70	65.66	39,753.48
18.75	65.75	39,663.12
18.80	65.84	39,572.97
18.85	65.93	39,483.06
18.90	66.02	39,393.39
18.95	66.11	39,303.93
19.00	66.20	39,214.71
19.05	66.29	39,125.73
19.10	66.38	39,036.96
19.15	66.47	38,948.43
19.20	66.56	38,860.11
19.25	66.65	38,772.03
19.30	66.74	38,684.19
19.35	66.83	38,596.56
19.40	66.92	38,509.14
19.45	67.01	38,421.99
19.50	67.10	38,335.02
19.55	67.19	38,248.29
19.60	67.28	38,161.77
19.65	67.37	38,075.49

PS303J2 REV NONE
(RESISTANCE VS. TEMPERATURE TABLE)

Temp (°C)	Temp (°F)	Resistance (Ω) 30,000 Ω @ +25°C
-----------	-----------	------------------------------------

19.70	67.46	37,989.42
19.75	67.55	37,903.56
19.80	67.64	37,817.94
19.85	67.73	37,732.53
19.90	67.82	37,647.33
19.95	67.91	37,562.37
20.00	68.00	37,477.59
20.05	68.09	37,393.05
20.10	68.18	37,308.72
20.15	68.27	37,224.63
20.20	68.36	37,140.72
20.25	68.45	37,057.05
20.30	68.54	36,973.56
20.35	68.63	36,890.31
20.40	68.72	36,807.27
20.45	68.81	36,724.44
20.50	68.90	36,641.82
20.55	68.99	36,559.41
20.60	69.08	36,477.21
20.65	69.17	36,395.22
20.70	69.26	36,313.44
20.75	69.35	36,231.87
20.80	69.44	36,150.51
20.85	69.53	36,069.33
20.90	69.62	35,988.39
20.95	69.71	35,907.63
21.00	69.80	35,827.08
21.05	69.89	35,746.74
21.10	69.98	35,666.61
21.15	70.07	35,586.69
21.20	70.16	35,506.95
21.25	70.25	35,427.42
21.30	70.34	35,348.10
21.35	70.43	35,268.99
21.40	70.52	35,190.06
21.45	70.61	35,111.34
21.50	70.70	35,032.80
21.55	70.79	34,954.50
21.60	70.88	34,876.35
21.65	70.97	34,798.44
21.70	71.06	34,720.71
21.75	71.15	34,643.16
21.80	71.24	34,565.82
21.85	71.33	34,488.69
21.90	71.42	34,411.74
21.95	71.51	34,335.00
22.00	71.60	34,258.44
22.05	71.69	34,182.06
22.10	71.78	34,105.89
22.15	71.87	34,029.90
22.20	71.96	33,954.12
22.25	72.05	33,878.52

PS303J2 REV NONE
(RESISTANCE VS. TEMPERATURE TABLE)

Temp (°C)	Temp (°F)	Resistance (Ω) 30,000 Ω @ +25°C
-----------	-----------	------------------------------------

22.30	72.14	33,803.10
22.35	72.23	33,727.89
22.40	72.32	33,652.86
22.45	72.41	33,578.01
22.50	72.50	33,503.37
22.55	72.59	33,428.91
22.60	72.68	33,354.63
22.65	72.77	33,280.56
22.70	72.86	33,206.64
22.75	72.95	33,132.93
22.80	73.04	33,059.40
22.85	73.13	32,986.05
22.90	73.22	32,912.88
22.95	73.31	32,839.92
23.00	73.40	32,767.11
23.05	73.49	32,694.51
23.10	73.58	32,622.09
23.15	73.67	32,549.82
23.20	73.76	32,477.76
23.25	73.85	32,405.88
23.30	73.94	32,334.18
23.35	74.03	32,262.66
23.40	74.12	32,191.32
23.45	74.21	32,120.13
23.50	74.30	32,049.15
23.55	74.39	31,978.35
23.60	74.48	31,907.70
23.65	74.57	31,837.26
23.70	74.66	31,766.97
23.75	74.75	31,696.86
23.80	74.84	31,626.93
23.85	74.93	31,557.18
23.90	75.02	31,487.61
23.95	75.11	31,418.19
24.00	75.20	31,348.98
24.05	75.29	31,279.92
24.10	75.38	31,211.01
24.15	75.47	31,142.31
24.20	75.56	31,073.76
24.25	75.65	31,005.39
24.30	75.74	30,937.20
24.35	75.83	30,869.16
24.40	75.92	30,801.30
24.45	76.01	30,733.59
24.50	76.10	30,666.06
24.55	76.19	30,598.71
24.60	76.28	30,531.54
24.65	76.37	30,464.52
24.70	76.46	30,397.65
24.75	76.55	30,330.96
24.80	76.64	30,264.45
24.85	76.73	30,198.09

PS303J2 REV NONE
(RESISTANCE VS. TEMPERATURE TABLE)

Temp (°C)	Temp (°F)	Resistance (Ω) 30,000 Ω @ +25°C
-----------	-----------	------------------------------------

24.90	76.82	30,131.88
24.95	76.91	30,065.85
25.00	77.00	30,000.00
25.05	77.09	29,934.30
25.10	77.18	29,868.75
25.15	77.27	29,803.38
25.20	77.36	29,738.19
25.25	77.45	29,673.12
25.30	77.54	29,608.23
25.35	77.63	29,543.52
25.40	77.72	29,478.93
25.45	77.81	29,414.55
25.50	77.90	29,350.29
25.55	77.99	29,286.21
25.60	78.08	29,222.28
25.65	78.17	29,158.50
25.70	78.26	29,094.87
25.75	78.35	29,031.42
25.80	78.44	28,968.12
25.85	78.53	28,904.97
25.90	78.62	28,842.00
25.95	78.71	28,779.18
26.00	78.80	28,716.48
26.05	78.89	28,653.96
26.10	78.98	28,591.59
26.15	79.07	28,529.40
26.20	79.16	28,467.33
26.25	79.25	28,405.44
26.30	79.34	28,343.67
26.35	79.43	28,282.08
26.40	79.52	28,220.61
26.45	79.61	28,159.32
26.50	79.70	28,098.18
26.55	79.79	28,037.19
26.60	79.88	27,976.35
26.65	79.97	27,915.63
26.70	80.06	27,855.09
26.75	80.15	27,794.70
26.80	80.24	27,734.46
26.85	80.33	27,674.34
26.90	80.42	27,614.40
26.95	80.51	27,554.58
27.00	80.60	27,494.94
27.05	80.69	27,435.42
27.10	80.78	27,376.05
27.15	80.87	27,316.83
27.20	80.96	27,257.76
27.25	81.05	27,198.84
27.30	81.14	27,140.04
27.35	81.23	27,081.39
27.40	81.32	27,022.92
27.45	81.41	26,964.54

PS303J2 REV NONE
(RESISTANCE VS. TEMPERATURE TABLE)

Temp (°C)	Temp (°F)	Resistance (Ω) 30,000 Ω @ +25°C
-----------	-----------	------------------------------------

27.50	81.50	26,906.34
27.55	81.59	26,848.26
27.60	81.68	26,790.36
27.65	81.77	26,732.55
27.70	81.86	26,674.92
27.75	81.95	26,617.41
27.80	82.04	26,560.05
27.85	82.13	26,502.84
27.90	82.22	26,445.75
27.95	82.31	26,388.81
28.00	82.40	26,332.02
28.05	82.49	26,275.35
28.10	82.58	26,218.83
28.15	82.67	26,162.43
28.20	82.76	26,106.18
28.25	82.85	26,050.08
28.30	82.94	25,994.10
28.35	83.03	25,938.27
28.40	83.12	25,882.56
28.45	83.21	25,827.00
28.50	83.30	25,771.56
28.55	83.39	25,716.27
28.60	83.48	25,661.10
28.65	83.57	25,606.08
28.70	83.66	25,551.18
28.75	83.75	25,496.43
28.80	83.84	25,441.80
28.85	83.93	25,387.32
28.90	84.02	25,332.96
28.95	84.11	25,278.72
29.00	84.20	25,224.63
29.05	84.29	25,170.66
29.10	84.38	25,116.84
29.15	84.47	25,063.14
29.20	84.56	25,009.56
29.25	84.65	24,956.10
29.30	84.74	24,902.79
29.35	84.83	24,849.63
29.40	84.92	24,796.56
29.45	85.01	24,743.64
29.50	85.10	24,690.84
29.55	85.19	24,638.16
29.60	85.28	24,585.63
29.65	85.37	24,533.22
29.70	85.46	24,480.93
29.75	85.55	24,428.76
29.80	85.64	24,376.74
29.85	85.73	24,324.81
29.90	85.82	24,273.03
29.95	85.91	24,221.37
30.00	86.00	24,169.83
30.05	86.09	24,118.44

PS303J2 REV NONE
(RESISTANCE VS. TEMPERATURE TABLE)

Temp (°C)	Temp (°F)	Resistance (Ω) 30,000 Ω @ +25°C
-----------	-----------	------------------------------------

30.10	86.18	24,067.14
30.15	86.27	24,015.99
30.20	86.36	23,964.96
30.25	86.45	23,914.05
30.30	86.54	23,863.26
30.35	86.63	23,812.59
30.40	86.72	23,762.04
30.45	86.81	23,711.61
30.50	86.90	23,661.30
30.55	86.99	23,611.11
30.60	87.08	23,561.07
30.65	87.17	23,511.12
30.70	87.26	23,461.29
30.75	87.35	23,411.61
30.80	87.44	23,362.02
30.85	87.53	23,312.55
30.90	87.62	23,263.23
30.95	87.71	23,214.00
31.00	87.80	23,164.89
31.05	87.89	23,115.90
31.10	87.98	23,067.03
31.15	88.07	23,018.28
31.20	88.16	22,969.65
31.25	88.25	22,921.14
31.30	88.34	22,872.72
31.35	88.43	22,824.45
31.40	88.52	22,776.27
31.45	88.61	22,728.21
31.50	88.70	22,680.27
31.55	88.79	22,632.45
31.60	88.88	22,584.75
31.65	88.97	22,537.17
31.70	89.06	22,489.68
31.75	89.15	22,442.31
31.80	89.24	22,395.06
31.85	89.33	22,347.93
31.90	89.42	22,300.89
31.95	89.51	22,253.97
32.00	89.60	22,207.17
32.05	89.69	22,160.49
32.10	89.78	22,113.90
32.15	89.87	22,067.43
32.20	89.96	22,021.08
32.25	90.05	21,974.82
32.30	90.14	21,928.68
32.35	90.23	21,882.66
32.40	90.32	21,836.76
32.45	90.41	21,790.95
32.50	90.50	21,745.26
32.55	90.59	21,699.66
32.60	90.68	21,654.18
32.65	90.77	21,608.82

PS303J2 REV NONE
(RESISTANCE VS. TEMPERATURE TABLE)

Temp (°C)	Temp (°F)	Resistance (Ω) 30,000 Ω @ +25°C
-----------	-----------	------------------------------------

32.70	90.86	21,563.55
32.75	90.95	21,518.40
32.80	91.04	21,473.34
32.85	91.13	21,428.40
32.90	91.22	21,383.58
32.95	91.31	21,338.85
33.00	91.40	21,294.21
33.05	91.49	21,249.72
33.10	91.58	21,205.29
33.15	91.67	21,161.01
33.20	91.76	21,116.79
33.25	91.85	21,072.72
33.30	91.94	21,028.71
33.35	92.03	20,984.85
33.40	92.12	20,941.05
33.45	92.21	20,897.37
33.50	92.30	20,853.81
33.55	92.39	20,810.34
33.60	92.48	20,766.99
33.65	92.57	20,723.70
33.70	92.66	20,680.56
33.75	92.75	20,637.51
33.80	92.84	20,594.55
33.85	92.93	20,551.68
33.90	93.02	20,508.93
33.95	93.11	20,466.27
34.00	93.20	20,423.73
34.05	93.29	20,381.28
34.10	93.38	20,338.92
34.15	93.47	20,296.68
34.20	93.56	20,254.53
34.25	93.65	20,212.47
34.30	93.74	20,170.53
34.35	93.83	20,128.68
34.40	93.92	20,086.92
34.45	94.01	20,045.28
34.50	94.10	20,003.73
34.55	94.19	19,962.27
34.60	94.28	19,920.90
34.65	94.37	19,879.65
34.70	94.46	19,838.46
34.75	94.55	19,797.42
34.80	94.64	19,756.44
34.85	94.73	19,715.55
34.90	94.82	19,674.78
34.95	94.91	19,634.10
35.00	95.00	19,593.51
35.05	95.09	19,553.01
35.10	95.18	19,512.63
35.15	95.27	19,472.31
35.20	95.36	19,432.11
35.25	95.45	19,392.00

PS303J2 REV NONE
(RESISTANCE VS. TEMPERATURE TABLE)

Temp (°C)	Temp (°F)	Resistance (Ω) 30,000 Ω @ +25°C
-----------	-----------	------------------------------------

35.30	95.54	19,351.98
35.35	95.63	19,312.05
35.40	95.72	19,272.24
35.45	95.81	19,232.49
35.50	95.90	19,192.86
35.55	95.99	19,153.29
35.60	96.08	19,113.84
35.65	96.17	19,074.48
35.70	96.26	19,035.21
35.75	96.35	18,996.03
35.80	96.44	18,956.94
35.85	96.53	18,917.94
35.90	96.62	18,879.03
35.95	96.71	18,840.21
36.00	96.80	18,801.51
36.05	96.89	18,762.87
36.10	96.98	18,724.32
36.15	97.07	18,685.86
36.20	97.16	18,647.49
36.25	97.25	18,609.24
36.30	97.34	18,571.05
36.35	97.43	18,532.95
36.40	97.52	18,494.94
36.45	97.61	18,457.02
36.50	97.70	18,419.19
36.55	97.79	18,381.45
36.60	97.88	18,343.80
36.65	97.97	18,306.24
36.70	98.06	18,268.77
36.75	98.15	18,231.39
36.80	98.24	18,194.07
36.85	98.33	18,156.87
36.90	98.42	18,119.73
36.95	98.51	18,082.68
37.00	98.60	18,045.75
37.05	98.69	18,008.88
37.10	98.78	17,972.10
37.15	98.87	17,935.38
37.20	98.96	17,898.78
37.25	99.05	17,862.24
37.30	99.14	17,825.79
37.35	99.23	17,789.46
37.40	99.32	17,753.16
37.45	99.41	17,716.98
37.50	99.50	17,680.89
37.55	99.59	17,644.86
37.60	99.68	17,608.92
37.65	99.77	17,573.07
37.70	99.86	17,537.28
37.75	99.95	17,501.61
37.80	100.04	17,466.00
37.85	100.13	17,430.48

PS303J2 REV NONE
(RESISTANCE VS. TEMPERATURE TABLE)

Temp (°C)	Temp (°F)	Resistance (Ω) 30,000 Ω @ +25°C
-----------	-----------	------------------------------------

37.90	100.22	17,395.05
37.95	100.31	17,359.68
38.00	100.40	17,324.40
38.05	100.49	17,289.21
38.10	100.58	17,254.08
38.15	100.67	17,219.07
38.20	100.76	17,184.12
38.25	100.85	17,149.23
38.30	100.94	17,114.46
38.35	101.03	17,079.75
38.40	101.12	17,045.10
38.45	101.21	17,010.57
38.50	101.30	16,976.10
38.55	101.39	16,941.69
38.60	101.48	16,907.40
38.65	101.57	16,873.17
38.70	101.66	16,839.00
38.75	101.75	16,804.95
38.80	101.84	16,770.93
38.85	101.93	16,737.03
38.90	102.02	16,703.19
38.95	102.11	16,669.44
39.00	102.20	16,635.75
39.05	102.29	16,602.15
39.10	102.38	16,568.61
39.15	102.47	16,535.16
39.20	102.56	16,501.80
39.25	102.65	16,468.50
39.30	102.74	16,435.26
39.35	102.83	16,402.14
39.40	102.92	16,369.05
39.45	103.01	16,336.08
39.50	103.10	16,303.14
39.55	103.19	16,270.32
39.60	103.28	16,237.56
39.65	103.37	16,204.86
39.70	103.46	16,172.25
39.75	103.55	16,139.70
39.80	103.64	16,107.24
39.85	103.73	16,074.84
39.90	103.82	16,042.53
39.95	103.91	16,010.28
40.00	104.00	15,978.12
40.05	104.09	15,946.02
40.10	104.18	15,914.01
40.15	104.27	15,882.06
40.20	104.36	15,850.20
40.25	104.45	15,818.40
40.30	104.54	15,786.66
40.35	104.63	15,755.01
40.40	104.72	15,723.42
40.45	104.81	15,691.92

PS303J2 REV NONE
(RESISTANCE VS. TEMPERATURE TABLE)

Temp (°C)	Temp (°F)	Resistance (Ω) 30,000 Ω @ +25°C
-----------	-----------	------------------------------------

40.50	104.90	15,660.48
40.55	104.99	15,629.10
40.60	105.08	15,597.81
40.65	105.17	15,566.58
40.70	105.26	15,535.44
40.75	105.35	15,504.36
40.80	105.44	15,473.34
40.85	105.53	15,442.38
40.90	105.62	15,411.51
40.95	105.71	15,380.73
41.00	105.80	15,350.01
41.05	105.89	15,319.35
41.10	105.98	15,288.75
41.15	106.07	15,258.24
41.20	106.16	15,227.79
41.25	106.25	15,197.40
41.30	106.34	15,167.10
41.35	106.43	15,136.83
41.40	106.52	15,106.68
41.45	106.61	15,076.56
41.50	106.70	15,046.53
41.55	106.79	15,016.56
41.60	106.88	14,986.65
41.65	106.97	14,956.83
41.70	107.06	14,927.07
41.75	107.15	14,897.37
41.80	107.24	14,867.73
41.85	107.33	14,838.18
41.90	107.42	14,808.69
41.95	107.51	14,779.26
42.00	107.60	14,749.89
42.05	107.69	14,720.58
42.10	107.78	14,691.36
42.15	107.87	14,662.20
42.20	107.96	14,633.10
42.25	108.05	14,604.06
42.30	108.14	14,575.11
42.35	108.23	14,546.22
42.40	108.32	14,517.36
42.45	108.41	14,488.62
42.50	108.50	14,459.91
42.55	108.59	14,431.26
42.60	108.68	14,402.70
42.65	108.77	14,374.17
42.70	108.86	14,345.73
42.75	108.95	14,317.35
42.80	109.04	14,289.03
42.85	109.13	14,260.80
42.90	109.22	14,232.60
42.95	109.31	14,204.46
43.00	109.40	14,176.41
43.05	109.49	14,148.42

PS303J2 REV NONE
(RESISTANCE VS. TEMPERATURE TABLE)

Temp (°C)	Temp (°F)	Resistance (Ω) 30,000 Ω @ +25°C
-----------	-----------	------------------------------------

43.10	109.58	14,120.49
43.15	109.67	14,092.59
43.20	109.76	14,064.78
43.25	109.85	14,037.06
43.30	109.94	14,009.37
43.35	110.03	13,981.74
43.40	110.12	13,954.17
43.45	110.21	13,926.69
43.50	110.30	13,899.24
43.55	110.39	13,871.88
43.60	110.48	13,844.55
43.65	110.57	13,817.31
43.70	110.66	13,790.13
43.75	110.75	13,762.98
43.80	110.84	13,735.92
43.85	110.93	13,708.92
43.90	111.02	13,681.98
43.95	111.11	13,655.07
44.00	111.20	13,628.25
44.05	111.29	13,601.49
44.10	111.38	13,574.79
44.15	111.47	13,548.15
44.20	111.56	13,521.54
44.25	111.65	13,495.02
44.30	111.74	13,468.56
44.35	111.83	13,442.16
44.40	111.92	13,415.79
44.45	112.01	13,389.51
44.50	112.10	13,363.29
44.55	112.19	13,337.10
44.60	112.28	13,311.00
44.65	112.37	13,284.93
44.70	112.46	13,258.95
44.75	112.55	13,233.00
44.80	112.64	13,207.11
44.85	112.73	13,181.31
44.90	112.82	13,155.54
44.95	112.91	13,129.83
45.00	113.00	13,104.18
45.05	113.09	13,078.59
45.10	113.18	13,053.06
45.15	113.27	13,027.56
45.20	113.36	13,002.15
45.25	113.45	12,976.77
45.30	113.54	12,951.48
45.35	113.63	12,926.22
45.40	113.72	12,901.02
45.45	113.81	12,875.88
45.50	113.90	12,850.80
45.55	113.99	12,825.78
45.60	114.08	12,800.79
45.65	114.17	12,775.89

PS303J2 REV NONE
(RESISTANCE VS. TEMPERATURE TABLE)

Temp (°C)	Temp (°F)	Resistance (Ω) 30,000 Ω @ +25°C
-----------	-----------	------------------------------------

45.70	114.26	12,751.02
45.75	114.35	12,726.21
45.80	114.44	12,701.46
45.85	114.53	12,676.77
45.90	114.62	12,652.14
45.95	114.71	12,627.54
46.00	114.80	12,603.00
46.05	114.89	12,578.52
46.10	114.98	12,554.10
46.15	115.07	12,529.74
46.20	115.16	12,505.41
46.25	115.25	12,481.17
46.30	115.34	12,456.96
46.35	115.43	12,432.81
46.40	115.52	12,408.69
46.45	115.61	12,384.66
46.50	115.70	12,360.66
46.55	115.79	12,336.72
46.60	115.88	12,312.84
46.65	115.97	12,288.99
46.70	116.06	12,265.23
46.75	116.15	12,241.50
46.80	116.24	12,217.80
46.85	116.33	12,194.19
46.90	116.42	12,170.61
46.95	116.51	12,147.09
47.00	116.60	12,123.63
47.05	116.69	12,100.20
47.10	116.78	12,076.86
47.15	116.87	12,053.55
47.20	116.96	12,030.27
47.25	117.05	12,007.08
47.30	117.14	11,983.92
47.35	117.23	11,960.79
47.40	117.32	11,937.75
47.45	117.41	11,914.74
47.50	117.50	11,891.79
47.55	117.59	11,868.87
47.60	117.68	11,846.01
47.65	117.77	11,823.21
47.70	117.86	11,800.47
47.75	117.95	11,777.76
47.80	118.04	11,755.11
47.85	118.13	11,732.52
47.90	118.22	11,709.96
47.95	118.31	11,687.46
48.00	118.40	11,664.99
48.05	118.49	11,642.58
48.10	118.58	11,620.23
48.15	118.67	11,597.91
48.20	118.76	11,575.68
48.25	118.85	11,553.45

PS303J2 REV NONE
(RESISTANCE VS. TEMPERATURE TABLE)

Temp (°C)	Temp (°F)	Resistance (Ω) 30,000 Ω @ +25°C
-----------	-----------	------------------------------------

48.30	118.94	11,531.31
48.35	119.03	11,509.17
48.40	119.12	11,487.12
48.45	119.21	11,465.10
48.50	119.30	11,443.14
48.55	119.39	11,421.21
48.60	119.48	11,399.34
48.65	119.57	11,377.53
48.70	119.66	11,355.75
48.75	119.75	11,334.03
48.80	119.84	11,312.34
48.85	119.93	11,290.71
48.90	120.02	11,269.14
48.95	120.11	11,247.60
49.00	120.20	11,226.09
49.05	120.29	11,204.64
49.10	120.38	11,183.25
49.15	120.47	11,161.92
49.20	120.56	11,140.59
49.25	120.65	11,119.35
49.30	120.74	11,098.14
49.35	120.83	11,076.96
49.40	120.92	11,055.84
49.45	121.01	11,034.78
49.50	121.10	11,013.75
49.55	121.19	10,992.78
49.60	121.28	10,971.84
49.65	121.37	10,950.96
49.70	121.46	10,930.11
49.75	121.55	10,909.32
49.80	121.64	10,888.56
49.85	121.73	10,867.86
49.90	121.82	10,847.19
49.95	121.91	10,826.58
50.00	122.00	10,806.00
50.05	122.09	10,785.48
50.10	122.18	10,764.99
50.15	122.27	10,744.56
50.20	122.36	10,724.16
50.25	122.45	10,703.82
50.30	122.54	10,683.51
50.35	122.63	10,663.23
50.40	122.72	10,643.01
50.45	122.81	10,622.85
50.50	122.90	10,602.72
50.55	122.99	10,582.62
50.60	123.08	10,562.58
50.65	123.17	10,542.60
50.70	123.26	10,522.62
50.75	123.35	10,502.73
50.80	123.44	10,482.84
50.85	123.53	10,463.04

PS303J2 REV NONE
(RESISTANCE VS. TEMPERATURE TABLE)

Temp (°C)	Temp (°F)	Resistance (Ω) 30,000 Ω @ +25°C
-----------	-----------	------------------------------------

50.90	123.62	10,443.24
50.95	123.71	10,423.50
51.00	123.80	10,403.79
51.05	123.89	10,384.14
51.10	123.98	10,364.55
51.15	124.07	10,344.96
51.20	124.16	10,325.43
51.25	124.25	10,305.96
51.30	124.34	10,286.52
51.35	124.43	10,267.11
51.40	124.52	10,247.76
51.45	124.61	10,228.44
51.50	124.70	10,209.15
51.55	124.79	10,189.92
51.60	124.88	10,170.72
51.65	124.97	10,151.58
51.70	125.06	10,132.47
51.75	125.15	10,113.39
51.80	125.24	10,094.37
51.85	125.33	10,075.38
51.90	125.42	10,056.42
51.95	125.51	10,037.52
52.00	125.60	10,018.65
52.05	125.69	9,999.84
52.10	125.78	9,981.06
52.15	125.87	9,962.31
52.20	125.96	9,943.62
52.25	126.05	9,924.96
52.30	126.14	9,906.33
52.35	126.23	9,887.73
52.40	126.32	9,869.19
52.45	126.41	9,850.71
52.50	126.50	9,832.23
52.55	126.59	9,813.81
52.60	126.68	9,795.42
52.65	126.77	9,777.09
52.70	126.86	9,758.79
52.75	126.95	9,740.52
52.80	127.04	9,722.28
52.85	127.13	9,704.10
52.90	127.22	9,685.95
52.95	127.31	9,667.83
53.00	127.40	9,649.77
53.05	127.49	9,631.74
53.10	127.58	9,613.74
53.15	127.67	9,595.80
53.20	127.76	9,577.86
53.25	127.85	9,559.98
53.30	127.94	9,542.16
53.35	128.03	9,524.34
53.40	128.12	9,506.58
53.45	128.21	9,488.85

PS303J2 REV NONE
(RESISTANCE VS. TEMPERATURE TABLE)

Temp (°C)	Temp (°F)	Resistance (Ω) 30,000 Ω @ +25°C
-----------	-----------	------------------------------------

53.50	128.30	9,471.18
53.55	128.39	9,453.54
53.60	128.48	9,435.90
53.65	128.57	9,418.35
53.70	128.66	9,400.80
53.75	128.75	9,383.31
53.80	128.84	9,365.85
53.85	128.93	9,348.42
53.90	129.02	9,331.02
53.95	129.11	9,313.68
54.00	129.20	9,296.37
54.05	129.29	9,279.09
54.10	129.38	9,261.84
54.15	129.47	9,244.65
54.20	129.56	9,227.46
54.25	129.65	9,210.33
54.30	129.74	9,193.26
54.35	129.83	9,176.19
54.40	129.92	9,159.18
54.45	130.01	9,142.20
54.50	130.10	9,125.25
54.55	130.19	9,108.33
54.60	130.28	9,091.44
54.65	130.37	9,074.61
54.70	130.46	9,057.81
54.75	130.55	9,041.04
54.80	130.64	9,024.30
54.85	130.73	9,007.59
54.90	130.82	8,990.94
54.95	130.91	8,974.32
55.00	131.00	8,957.73
55.05	131.09	8,941.17
55.10	131.18	8,924.64
55.15	131.27	8,908.14
55.20	131.36	8,891.70
55.25	131.45	8,875.29
55.30	131.54	8,858.91
55.35	131.63	8,842.56
55.40	131.72	8,826.24
55.45	131.81	8,809.95
55.50	131.90	8,793.72
55.55	131.99	8,777.49
55.60	132.08	8,761.32
55.65	132.17	8,745.18
55.70	132.26	8,729.07
55.75	132.35	8,713.02
55.80	132.44	8,696.97
55.85	132.53	8,680.95
55.90	132.62	8,664.99
55.95	132.71	8,649.06
56.00	132.80	8,633.16
56.05	132.89	8,617.29

PS303J2 REV NONE
(RESISTANCE VS. TEMPERATURE TABLE)

Temp (°C)	Temp (°F)	Resistance (Ω) 30,000 Ω @ +25°C
-----------	-----------	------------------------------------

56.10	132.98	8,601.45
56.15	133.07	8,585.64
56.20	133.16	8,569.86
56.25	133.25	8,554.14
56.30	133.34	8,538.42
56.35	133.43	8,522.76
56.40	133.52	8,507.10
56.45	133.61	8,491.50
56.50	133.70	8,475.93
56.55	133.79	8,460.39
56.60	133.88	8,444.88
56.65	133.97	8,429.43
56.70	134.06	8,413.98
56.75	134.15	8,398.56
56.80	134.24	8,383.20
56.85	134.33	8,367.84
56.90	134.42	8,352.54
56.95	134.51	8,337.24
57.00	134.60	8,322.00
57.05	134.69	8,306.79
57.10	134.78	8,291.61
57.15	134.87	8,276.46
57.20	134.96	8,261.34
57.25	135.05	8,246.25
57.30	135.14	8,231.19
57.35	135.23	8,216.16
57.40	135.32	8,201.16
57.45	135.41	8,186.19
57.50	135.50	8,171.28
57.55	135.59	8,156.37
57.60	135.68	8,141.49
57.65	135.77	8,126.67
57.70	135.86	8,111.85
57.75	135.95	8,097.09
57.80	136.04	8,082.33
57.85	136.13	8,067.63
57.90	136.22	8,052.93
57.95	136.31	8,038.29
58.00	136.40	8,023.65
58.05	136.49	8,009.07
58.10	136.58	7,994.52
58.15	136.67	7,979.97
58.20	136.76	7,965.48
58.25	136.85	7,951.02
58.30	136.94	7,936.56
58.35	137.03	7,922.16
58.40	137.12	7,907.79
58.45	137.21	7,893.42
58.50	137.30	7,879.11
58.55	137.39	7,864.83
58.60	137.48	7,850.55
58.65	137.57	7,836.33

PS303J2 REV NONE
(RESISTANCE VS. TEMPERATURE TABLE)

Temp (°C)	Temp (°F)	Resistance (Ω) 30,000 Ω @ +25°C
-----------	-----------	------------------------------------

58.70	137.66	7,822.14
58.75	137.75	7,807.95
58.80	137.84	7,793.82
58.85	137.93	7,779.69
58.90	138.02	7,765.62
58.95	138.11	7,751.55
59.00	138.20	7,737.54
59.05	138.29	7,723.53
59.10	138.38	7,709.58
59.15	138.47	7,695.63
59.20	138.56	7,681.74
59.25	138.65	7,667.85
59.30	138.74	7,653.99
59.35	138.83	7,640.19
59.40	138.92	7,626.39
59.45	139.01	7,612.62
59.50	139.10	7,598.88
59.55	139.19	7,585.17
59.60	139.28	7,571.49
59.65	139.37	7,557.84
59.70	139.46	7,544.22
59.75	139.55	7,530.63
59.80	139.64	7,517.07
59.85	139.73	7,503.51
59.90	139.82	7,490.01
59.95	139.91	7,476.54
60.00	140.00	7,463.07
60.05	140.09	7,449.66
60.10	140.18	7,436.25
60.15	140.27	7,422.87
60.20	140.36	7,409.55
60.25	140.45	7,396.23
60.30	140.54	7,382.94
60.35	140.63	7,369.68
60.40	140.72	7,356.45
60.45	140.81	7,343.22
60.50	140.90	7,330.05
60.55	140.99	7,316.91
60.60	141.08	7,303.77
60.65	141.17	7,290.69
60.70	141.26	7,277.61
60.75	141.35	7,264.56
60.80	141.44	7,251.54
60.85	141.53	7,238.55
60.90	141.62	7,225.59
60.95	141.71	7,212.66
61.00	141.80	7,199.73
61.05	141.89	7,186.86
61.10	141.98	7,173.99
61.15	142.07	7,161.18
61.20	142.16	7,148.37
61.25	142.25	7,135.59

PS303J2 REV NONE
(RESISTANCE VS. TEMPERATURE TABLE)

Temp (°C)	Temp (°F)	Resistance (Ω) 30,000 Ω @ +25°C
-----------	-----------	------------------------------------

61.30	142.34	7,122.84
61.35	142.43	7,110.12
61.40	142.52	7,097.40
61.45	142.61	7,084.74
61.50	142.70	7,072.08
61.55	142.79	7,059.48
61.60	142.88	7,046.88
61.65	142.97	7,034.31
61.70	143.06	7,021.77
61.75	143.15	7,009.23
61.80	143.24	6,996.75
61.85	143.33	6,984.27
61.90	143.42	6,971.85
61.95	143.51	6,959.43
62.00	143.60	6,947.04
62.05	143.69	6,934.68
62.10	143.78	6,922.32
62.15	143.87	6,910.02
62.20	143.96	6,897.72
62.25	144.05	6,885.45
62.30	144.14	6,873.24
62.35	144.23	6,861.00
62.40	144.32	6,848.82
62.45	144.41	6,836.67
62.50	144.50	6,824.52
62.55	144.59	6,812.40
62.60	144.68	6,800.31
62.65	144.77	6,788.25
62.70	144.86	6,776.22
62.75	144.95	6,764.19
62.80	145.04	6,752.19
62.85	145.13	6,740.22
62.90	145.22	6,728.28
62.95	145.31	6,716.37
63.00	145.40	6,704.49
63.05	145.49	6,692.61
63.10	145.58	6,680.76
63.15	145.67	6,668.94
63.20	145.76	6,657.15
63.25	145.85	6,645.36
63.30	145.94	6,633.63
63.35	146.03	6,621.90
63.40	146.12	6,610.20
63.45	146.21	6,598.53
63.50	146.30	6,586.86
63.55	146.39	6,575.22
63.60	146.48	6,563.64
63.65	146.57	6,552.03
63.70	146.66	6,540.48
63.75	146.75	6,528.96
63.80	146.84	6,517.44
63.85	146.93	6,505.95

PS303J2 REV NONE
(RESISTANCE VS. TEMPERATURE TABLE)

Temp (°C)	Temp (°F)	Resistance (Ω) 30,000 Ω @ +25°C
-----------	-----------	------------------------------------

63.90	147.02	6,494.49
63.95	147.11	6,483.03
64.00	147.20	6,471.63
64.05	147.29	6,460.23
64.10	147.38	6,448.86
64.15	147.47	6,437.49
64.20	147.56	6,426.18
64.25	147.65	6,414.87
64.30	147.74	6,403.59
64.35	147.83	6,392.31
64.40	147.92	6,381.09
64.45	148.01	6,369.87
64.50	148.10	6,358.68
64.55	148.19	6,347.52
64.60	148.28	6,336.36
64.65	148.37	6,325.26
64.70	148.46	6,314.16
64.75	148.55	6,303.06
64.80	148.64	6,292.02
64.85	148.73	6,280.98
64.90	148.82	6,269.97
64.95	148.91	6,258.99
65.00	149.00	6,248.01
65.05	149.09	6,237.06
65.10	149.18	6,226.14
65.15	149.27	6,215.25
65.20	149.36	6,204.36
65.25	149.45	6,193.50
65.30	149.54	6,182.67
65.35	149.63	6,171.87
65.40	149.72	6,161.07
65.45	149.81	6,150.30
65.50	149.90	6,139.56
65.55	149.99	6,128.82
65.60	150.08	6,118.11